

PROVINCE						COAST
LOCATION						GANZE
SUBLOCATION / ADJUDICATION SECTION						PETANGUO 'A'
ation section is not same as Administration sub-location						
- complete bysigned						
Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No.	Photo Diagram No	Perimeter Checked complete
1	9	0.95		41	6	0.42
2	9	0.14		42	6 & 9	0.43
3	9	20.63		43	6	0.39
4	3 & 6	0.2		44	6	0.41
5	3	0.03		45	6 & 9	1.18
6	3	0.22		46	9	1.38
7	3	1.15		47	9	0.76
8	3	2.64		48	6	2.25
9	6	0.53		49	9	0.37
10	6	0.12		50	9	0.94
11	3	2.2		51	9	1.25
12	3	1.64		52	9	1.53
13	3	0.25		53	9	1.45
14	3	1.59		54	9	0.82
15	3	0.11		55	9	1.98
16	3	0.06		56	9	0.77
17	3	1.02		57	9	1.58
18	3	1.6		58	9	1.76
19	3	1.72		59	9	0.76
20	7	0.65		60	9	2.56
21	3	1.07		61	9	0.19
22	7	2.08		62	9	2
23	4 & 7	2		63	9	0.88
24	4 & 7	1.97		64	9	1
25	4 & 7	21.18		65	9	1.16
26	4 & 7	24.56		66	9	1.23
27	4 & 5	7.74		67	6 & 9	19.21
28	7 & 8	31.47		68	5 & 8	1.04
29	8	5.94		69	5	2.05
30	8	3.02		70	5	0.53
31	5 & 8	1.85		71	8	0.85
32	5	1.82		72	5 & 8	2.65
33	5	1.7		73	5 & 8	0.24
34	5 & 8	1.43		74	9	2.16
35	5	1.17		75	9	3.37
36	6	3.64		76	9	0.52
37	6	4.03		77	8	0.24
38	6	0.47		78	9	2.68
39	6	0.46		79	9	1.51
40	6	0.43		80	9	4.13

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
81	9	5.3		128	5 & 8	1.53
82	8	0.1		129	5	0.4
83	8	5.17		130	5 & 8	2.28
84	9	0.96		131	6 & 7	6.15
85	8	0.4		132	5 & 8	1.4
86	8	4.5		133	6	50.44
87	9	1.55		134	6	3.08
88	9	2.72		135	5	0.69
89	8	0.32		136	5	3.93
90	9	0.21		137	5	9.76
91	9	1.59		138	5	6.73
92	9	1.55		139	5	0.26
93	9	1.55		140	5	0.91
94	9	0.63		141	5	4.44
95	9	0.5		142	5	0.58
96	9	0.56		143	5	2.22
97	9	0.43		144	5	12.24
98	9	0.64		145	5	10.04
99	6 & 9	1.31		146	6	8.31
100	6 & 9	1.34		147	6	4.5
101	6 & 9	1.34		148	6	1.9
102	6 & 9	1.24		149	6	8.51
103	6	4		150	7	2.93
104	6	3.21		151	6	0.44
105	9	9.83		152	5	4.72
106	6	0.63		153	5	1.02
107	6	0.7		154	5	11.08
108	6	1.03		155	5	1.43
109	6	1.38		156	5	1.38
110	6	4.27		157	5	1.44
111	6	12.45		158	6	5.02
112	8	1.28		159	6	1.97
113	8	9.14		160	7	3.94
114	8	1.6		161	7	2.61
115	8	16.49		162	7	0.45
116	8	2.34		163	6 & 7	2.59
117	8	3.49		164	6 & 7	9.23
118	8	1.83		165	9	0.91
119	8	2.93		166	5	1.57
120	8	1.46		167	6	7.96
121	8	3.14		168	7 & 8	3.47
122	8	3.04		169	5	3.68
123	9	0.4		170	7	1.56
124	8	3.43		171	7	2.86
125	8	1.09		172	7	12.49
126	8	1.48		173	3 & 6	16.54
127	5 & 8	4.27		174	3	0.06

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
175	7	1.06		220	4	0.96
176	6	5.32		221	4	1.01
177	4	0.98		222	4	1.22
178	4	0.32		223	4	1.65
179	7	0.84		224	4	1.2
180	7	1.93		225	4	1.1
181	3 & 6	4		226	4	0.97
182	7	1.18		227	4	1.09
183	5	0.95		228	4	1.3
184	5	0.59		229	4	0.56
185	4 & 5	2.54		230	4	2.96
186	3	0.06		231	4	0.91
187	3	0.24		232	4	1.1
188	3	3.28		233	4	1.01
189	3	1.04		234	4	0.84
190	3	2.72		235	4	1.08
191	3	3.9		236	4	0.85
192	3	0.05		237	4	0.76
193	4	0.19		238	4	0.85
194	3	0.71		239	4	1.06
195	3	1.41		240	4	1.26
196	3 & 4	0.56		241	4	1.34
197	3 & 4	1.1		242	4	1.03
198	3 & 4	3.5		243	4	1.13
199	4	2.56		244	4	4.7
200	4	2.89		245	4	4.44
201	4	1.48		246	4	1.67
202	4	1.29		247	4	0.75
203	4 & 5	3.82		248	4	1.17
204	4	3.83		249	4	0.84
205	4	2.46		250	4	0.86
206	4	0.46		251	4	0.87
207	4	1.63		252	4	0.86
208	4	1.27		253	4	1.22
209	4	0.76		254	4	0.84
210	4	3.92		255	4	0.44
211	4	1.89		256	4 & 5	4.2
212	4	0.75		257	4 & 5	1.38
213	4	0.97		258	4 & 5	1.57
214	4	0.76		259	5	4.14
215	4	0.93		260	5	0.98
216	4	1.58		261	5	0.48
217	4	21.54		262	5	2.26
218	4	0.96		263	5	1.02
219	3 & 4	2.13		264	5	0.54

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
265	5	0.53		312	1	0.13
266	5	0.54		313	1	0.12
267	5	0.53		314	1	0.23
268	3 & 4	2.53		315	1	0.26
269	4	3.92		316	7	3.72
270	2	0.94		317	1	1.23
271	2	0.7		318	1	1.35
272	2	0.66		319	1	8.57
273	2	0.54		320	1	1.65
274	2	1.32		321	1	0.54
275	2	2.17		322	1	1.06
276	2	1.01		323	1	0.55
277	2	2		324	1	0.53
278	2	2.5		325	1	0.4
279	2	4.09		326	1	0.12
280	2	5.02		327	1	0.79
281	2	0.78		328	1	0.62
282	2	4.97		329	1	1.07
283	2	3.65		330	1	0.037
284	2	1.79		331	7	1.71
285	2	3.94		332	1	1.4
286	4	4.01		333	1	0.12
287	4	0.38		334	1	2.23
288	4	4.41		335	1	0.33
289	4	6.92		336	1	2.4
290	4	1.08		337	1	1.58
291	4	1.28		338	1 & 2	30.88
292	4	0.1		339	7	7.32
293	5	4.86		340	1	1.09
294	2	3.6		341	1	2.15
295	7	0.91		342	1	8.63
296	1 & 4	22.1		343	2	0.61
297	7	0.64		344	1	0.16
298	7	0.65		345	1	0.22
299	3	1.35		346	7	16.4
300	3	2.01		347	1 & 2	4.88
301	3	16.24		348	1 & 2	5.35
302	7	0.82		349	1 & 2	4.54
303	3	19.66		350	1	0.5
304	3	1.53		351	5	2.09
305	3	0.45		352	5	3.06
306	3	0.54		353	5	0.8
307	7	0.38		354	5	1.54
308	1	7.49		355	5	10.28
309	1	0.16		356	1	0.16
310	1	0.91		357	1	0.16
311	1	0.12		358	1	0.13

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
359	1	0.15		406	1	3.84
360	8	3.88		407	1	1.79
361	1	0.33		408	1	0.97
362	1	0.59		409	1	1.25
363	7	1.75		410	1	1.77
364	7	5.21		411	1 & 3	2.02
365	7	2.02		412	1	0.99
366	7	2.25		413	7	0.73
367	1	3.94		414	9	0.43
368	1	3.12		415	1	1.01
369	1	5.75		416	1	4.69
370	7	5.51		417	9	4.86
371	2	0.99		418	9	2.09
372	2	0.36		419	9	6.83
373	2	0.58		420	9	2.44
374	2	0.39		421	5	0.45
375	1	0.27		422	2	1.54
376	7	2.72		423	2	3.79
377	1	1.02		424	2	3.48
378	1	7.98		425	2	3.64
379	1	0.92		426	2	3.43
380	1	3.64		427	2	4.66
381	1	0.93		428	2	1.51
382	1	0.46		429	2	2.58
383	1	0.31		430	2	2.31
384	1	2.97		431	2	11.29
385	1	1.45		432	2	3.11
386	1	0.82		433	2	1.57
387	1	2.74		434	5	2.47
388	1	1.24		435	9	13.23
389	1	0.58		436	9 & 10	80.72
390	1	1.52		437	9	1.96
391	1	1.03		438	9 & 10	1.4
392	1	0.29		439	9 & 10	0.85
393	1	1.8		440	9 & 10	2.31
394	1	0.53		441	9 & 10	75.3
395	1 & 2	10.16		442	10	11.16
396	1	0.42		443	10	16.25
397	1	0.74		444	7, 8 & 10	107.6
398	1	8.15		445	8 & 10	10.74
399	1	1.269		446	3	1.08
400	1	1.51		447	3	1.42
401	1	9		448	3	1.82
402	1 & 2	8.15		449	3	1.76
403	2	1.07		450	3	1.14
404	2	0.77		451	4	1.23
405	7	1.56		452	4	1.14

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
453	4	0.93		500	4	5.94
454	4	0.96		501	3	0.33
455	4	0.84		502	3	0.44
456	4	0.36		503	3	0.55
457	4	0.78		504	3	0.44
458	3 & 4	1.89		505	3	0.43
459	4	1.28		506	3	4.57
460	4	1.38		507	3	0.29
461	4	1.94		508	3	0.36
462	3 & 4	0.48		509	3	3.23
463	3	1.6		510	3,4,6 & 7	96.9
464	3	2.57		511	3, 4 & 7	2.21
465	1,3 & 4	6.24		512	3 & 4	1.09
466	3	2.7		513	3 & 4	1.15
467	3	0.37		514	9 & 10	6.83
468	1 & 3	2.12		515	9	0.64
469	1	2.9		516	6,7,9 & 10	118.4
470	1	1.73		517	6	6.13
471	3	1.95		518	1	1.38
472	1 & 4	5.78		519	2	6.51
473	1	1.31		520	7 & 8	55.43
474	1	3.56		521	8	6.18
475	1 & 2	2.07		522	8	11.2
476	2	2.85		523	8	8.17
477	2	0.93		524	8	9.58
478	2	1.56		525	3	1
479	2	1.55		526	5	0.83
480	2	1.73		527	3	0.13
481	2	0.43		528	7	1.19
482	2	0.77		529	7 & 8	8.82
483	2	0.43		530	2	0.8
484	2	1.21		531	1 & 4	10.15
485	2	3.26		532	1	3.95
486	2	1.53		533	1	5.98
487	2	0.49		534	1 & 4	4.47
488	2	1.44		535	4	1.48
489	2	3.4		536	4	1.09
490	2	0.3		537	8 & 10	4.03
491	2	3.05		538	1 & 3	14.57
492	2 & 5	39.93		539	8	1.28
493	2	5.84		540	6	0.89
494	2	3.02		541	7	2.25
495	2	11.93		542	3	2.37
496	5	0.74		543	7	1.51
497	2,4 & 5	88.19		544	7	2.46
498	5	0.98		545	7	7.82
499	5	1.39		546	7	2.65

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
547	5	1.25		594	2	0.29
548	5 & 8	0.35		595	2	1.62
549	6	0.3		596	2	1.85
550	5 & 8	1.07		597	2	0.69
551	9	0.33		598	2	1.15
552	9	0.33		599	2	3.05
553	9	0.43		600	2	1.18
554	9	0.36		601	2	0.99
555	9	0.37		602	2	1.26
556	9	0.36		603	2	1.89
557	9	0.39		604	2	1.96
558	9	0.22		605	2	0.91
559	9	0.22		606	2	0.91
560	9	13.16		607	2	2.26
561	9	13.29		608	2	1.01
562	9	12.75		609	9	4.89
563	9	9.88		610	4	0.23
564	9	17.66		611	3	1.51
565	9	0.93		612	3	0.28
566	2	0.53		613	4	1.78
567	2	1.85		614	4	0.78
568	2	10.57		615	7	1.26
569	2	1.17		616	7	2.33
570	2	1.31		617	7	2.46
571	5	0.63		618	7	3.86
572	4	0.64		619	7	2.02
573	8	1.98		620	7	0.69
574	4	1.36		621	7	1.23
575	4	0.36		622	6	2.68
576	4	0.31		623	6	8.8
577	2	0.91		624	6	5.22
578	2	2.71		625	6	0.7
579	2	1.02		626	6 & 7	7.55
580	2	0.53		627	6	2.13
581	2	0.87		628	6	1.39
582	2	0.99		629	6	1.83
583	2	1.43		630	6	5.04
584	2	1.16		631	6	2.29
585	2	1.13		632	6	4.17
586	2	1.1		633	6	3.3
587	2	1.1		634	6	4.96
588	2	1		635	6	1.79
589	2	0.8		636	6	7.21
590	2	0.68		637	6	4.38
591	2	0.81		638	9	0.83
592	2	0.75		639	9	0.8
593	2	2.16		640	5	6.99

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
641	5	0.73		688	4	1.35
642	5	1.03		689	9	2.15
643	5	0.84		690	2	1.97
644	5	2.51		691	9	1.06
645	5	3.35		692	9	8.18
646	5	3.12		693	9	1.11
647	5	2.78		694	9	1.07
648	5	3.13		695	3	4.63
649	5	2.81		696	2	3.03
650	5	2.08		697	2	1.93
651	5	2.37		698	2	2.05
652	5	0.93		699	2	1.89
653	4	2.32		700	2	8.49
654	2	4.71		701	5	0.79
655	2	0.87		702	7	0.72
656	4	0.75		703	7	0.45
657	3 & 4	16.25		704	5	2.54
658	2	5.47		705	5	2.57
659	5 & 8	3.06		706	5	2.53
660	3	0.71		707	9	0.17
661	2	2.08		708	9	2.25
662	2	0.48		709	9	4.27
663	2	0.33		710	9	8.48
664	4, 5, 7, & 8	8.7		711	9	2.92
665	5	6.27		712	4	1.94
666	5	4		713	4	6.83
667	5	0.52		714	3	1.08
668	4 & 5	11.9		715	3	1.09
669	3	2.76		716	9	2.28
670	3	0.08		717	9	1.07
671	3	1.28		718	9	4.41
672	3	0.21		719	9	2.44
673	4	1.04		720	9	1.15
674	3	0.33		721	9	0.11
675	3 & 6	3.12		722	SKIPPED	
676	3	0.4		723	9	0.12
677	9	0.04		724	9	0.12
678	9	0.04		725	9	0.11
679	4	0.46		726	4 & 5	0.80
680	2	0.76		727	7	0.72
681	7	2.08		728	7	0.46
682	1	0.7		729	5	0.40
683	1	19.2		730	9	1.53
684	3	0.04		731	10	6.64
685	3	0.07		732	2	4.94
686	1	5.69		733	6 & 9	2.90
687	3	1.14		734	6 & 9	3.19

Plot No	Photo Diagram No	Perimeter Checked Complete		Plot No	Photo Diagram No	Perimeter checked complete
735	deleted					
736	6 & 9	2.01				
737	5 & 8	1.03				
738	9	6.84				
739	5	3.61				
740	2	1.70				
741	6	1.65				
742	1 & 2	4.05				
743	2 & 5	6.11				
744	2	6.10				
745	5	6.09				
746	2	2.02				
747	2	2.44				
748	2	2.02				
749	2	2.01				
750	2 & 5	2.78				
751	5	4.59				
752	2 & 5	2.01				
753	9	0.97				
754	9	0.97				
755	9	0.95				
756	9	0.94				
757	9	0.96				
758	6	1.31				
759	1	1.92				
760	1	1.25				
761		CANCELLED				
762	9	4.80				
763	9	2.16				
764	9	0.75				
765	6	1.20				
766	6	1.65				
767	7	1.96				
768	3	0.03				